

WP OpenStreetMap Cluster



Developed by

Pit Solutions Private Limited



Table of Contents

1.0 About Plugin	2
2.0 Requirements	2
3.0 Installation	2
3.1 Install using zip file	2
3.2 Manual Installation via FTP	4
3.3 Plugin Update	5
4.0 Configurations	5
4.1 Location Based Map Cluster	6
4.2 Post type Based Map Cluster	10
5.0 WpBakery Page Builder Support	15
6.0 Add Custom Css	
7.0 Map Licences	16
8.0 Things to Remember	16
9.0 Support	17
10.0 Version Details	17



1.0 About Plugin

WP OpenStreetMap Cluster is a plugin to create cluster-based maps using OpenStreetMaps and it is made with Leaflet JS, a JavaScript toolkit for creating mobilefriendly interactive maps.

Shortcode characteristics and plugin settings can be used to set this map.

This plugin's main feature is to display popups, based on the clusters mapped on a single location. Any post type can be assigned as map cluster and populate on the map.

The user can create maps in two ways,

- Location Based Cluster
- Post Type Based Cluster

More information about these clusters are given below in the upcoming chapters.

2.0 Requirements

To install and configure WP OpenStreetMap Cluster in WordPress, the WordPress version should be 5.7 and above and the PHP version should be 7.4 and above.

3.0 Installation

3.1 Install using zip file

To install WP OpenStreetMap Cluster Plugin, follow the steps below.

Step 1: Choose to add a new plugin, then click upload.

Step 2: Go to WordPress admin dashboard and visit Plugins » Add New. After that, click on the 'Upload Plugin' button on top of the page.



Step 3: Then a plugin upload form will appear. Here you need to click on the 'Choose File' button and select the plugin file you downloaded earlier.

Add Plugins Upload Plugin			
lf you	have a plugin in a .zip format, you ma	ay install it by uploadin	ig it here.
	Choose File No file chosen	Install Now	

Step 4: Upload the wp-openstreetmap-cluster zip file

Step 5: After you have selected the file, you need to click on the 'Install Now' button.

WordPress will now upload the plugin file from your computer and install it for you. You will see a success message after the installation is finished.





Step 6: Once installed, you need to click on the Activate Plugin link to start using the plugin.

WP OpenStreetMap Cluster	A plugin to create map clusters using openstreetmaps and show locations as a popup.	Enable auto-updates
Deactivate Troubleshoot	Version 1.0.0 By Pits View details Check for updates	

Step 7: Go to Settings » WP OpenStreetMap Cluster Menu. After that do the necessary configurations like zoom and position latitude and longitude.

🙆 Dashboard	WP OpenStreetMap	Cluster Settings
🖈 Posts	Common settings	
91 Media		BUDGE MAD because (inc)
📕 Pages	Show location based map:	WPOC_MAR type=location]
Comments	Enable Post Type Cluster	Post type Cluster
A Locations		Show Map cluster based on the selected post type .
🔊 Appearance	Location Zoom Level	
🖆 Plugins 📵		Set the zoom level from U.S to To. Default is 4
🚢 Users	Location Position Latitude	38.685516
🖋 Tools		Set the latitude position of the map. Default: 38.685516
E Settings	Location Positiom Longitude	-101.073324
General	-	Set the longitude position of the map. Default: -101.073324
Writing		
Reading	Common Marker For Location Based Map	Set Common Marker This will override the images set in location.
Discussion		
Permalinks		
Privacy	Change Tile For Location Based	Default Theme Y
WP Downgrade	Мар	
WP OpenStreetMap Cluster		

3.2 Manual Installation via FTP

In rare cases, your WordPress hosting provider may have file restrictions that could prevent you to install a plugin from the admin area. In this situation, best way is to install the plugin manually using FTP.

First you will need to download the plugin's source as zip file. Next, you need to extract the zip file on your computer. Open the FTP client on your computer and connect to your website using the login credentials provided by your web host. Once connected, you need to go to the /wp-content/plugins/ folder on your website, and then upload the extracted plugin folder to that path.

After uploading the files, you need to visit the WordPress admin area and click on the **Plugins** link in the admin menu. You'll see WP OpenStreetMap Cluster plugin successfully installed on the plugins page. You need to click on the Activate link below the plugin to start using it.

After successfully installing the plugin, you can configure the settings right away.



3.3 Plugin Update

To update the plugin, either you can follow the above-mentioned steps to upload a new version or you can simply click the update now link under the WP OpenStreetMap Cluster plugin on the plugins page.

WP OpenStreetMap Cluster Deactivate Troubleshoot	A plugin to create map clusters using openstreetmaps and show locations as a popup. Version 1.0.0 By Pits View details Check for updates	Enable auto-updates
• There is a new version of WP OpenS	treetMap Cluster available. <u>View version 2.0.0 details</u> or update now.	

If you are trying to upload the new version file manually, please make sure you have selected Replace current with upload.

backing the package		
stalling the plugin		
stination folder already exists. D:/h	tdocs/testsite2/wp-content/plugins/	wp-openstreetmap-cluster/
is plugin is already installed.		
	Current	Uploaded
Plugin name	WP OpenStreetMap Cluster	WP OpenStreetMap Cluster
Version	1.0.0	2.0.0
Author	Pits	Pits
Required WordPress version	-	-

4.0 Configurations

WP OpenStreetMap Cluster Plugin can create map cluster in two ways

- 4.1 Location based map cluster
- 4.2 Post type based map cluster



4.1 Location Based Map Cluster

The cluster maps can be formed by locations. This means you don't have to link this location with other post types to make a cluster.

To do this you need to follow few steps given below,

1. Create Locations

Go to the Locations menu and create a new location by clicking add new.

🚳 Dashboard	Location Add New
🖈 Posts	All (4) Published (4)
9 Media	Bulk actions Apply All dates Filter
📕 Pages	Title
Comments	London
🚆 Location	
All locations	Tokiyo
Appearance	Dubai
🖌 Plugins	Paris
📥 Users	
6 T I.	Title

Then fill out all the location data like location name, latitude, longitude, location image and the popup text.



Bangalore		Publish
WP OpenStreetMap Cluster	~ ~ *	📍 Statu
Latitude & Longitude		Visib
Latitude: 12 9716		🕚 Revis
Longitude: 77.5946		Move to 1
Location Image		
Add Image		
Add Media Remove media		
Location PopUp Texts		
	Visual Text	
Bangalore		
Address		
Contact number		
Moil		
Maii		
	lit.	

After creating locations, we can show that as a map in the front end. Before that we need to configure some common settings.

Go to Settings » Click on the WP OpenStreetMap Cluster Menu

🙆 Dashboard	WP OpenStreetMap	Cluster Settings
 ≁ Posts ♀ Media ● Pages 	Common settings Show location based map:	[WPOC_MAP type=location]
Comments A Locations	Enable Post Type Cluster	Post type Cluster Show Map cluster based on the selected post type .
Appearance	Location Zoom Level	4 Set the zoom level from 0.5 to 18. Default is 4
▲ Users ✓ Tools	Location Position Latitude	38.685516 Set the latitude position of the map. Default: 38.685516
Settings	Location Positiom Longitude	-101.073324 Set the longitude position of the map. Default: -101.073324
Writing Reading Discussion Media	Common Marker For Location Based Map	Set Common Marker This will override the images set in location.
Permalinks Privacy WP Downgrade WP OpenStreetMap Cluster	Change Tile For Location Based Map	Default Theme ~



Here you can find some options those are explained below,

1. Enable Post Type Cluster:

This is used to enable the post type based cluster map. In default it will be unchecked. Further details about this option will be given in the next chapter.

2. Location Zoom Level:

This is an option to adjust the default map position zoom level. You can set the zoom levels from 0.5 to 18. The least zoom level is denoted as zoom out and the higher zoom level is denoted as zoom in.

3. Location Position Latitude & Longitude:

This option is used to point out which location the map should be in default. Here you can mention the latitude & longitude of the outer area of the location. For example, if you are creating locations like London, Amsterdam, Berlin and Paris in Europe then you can fill out the latitude and longitude of Europe that is 54.525963, 15.255119.

4. Common Marker for Location Based Map:

This option is used to make a common marker for all the locations in the map. In default the map will assign the location image as the marker which is uploaded in the location. You can change that and make a common marker. Here we have two options that is, the user can select the markers which are provided as inbuilt or the user can upload a custom common marker.



5. Change Tile for Location Based Map:



The user can change the map tile theme. There are four themes are available. This will just change the look of the map not the functionalities of the map.

Finally, the map is ready to be rendered in the front end. To display the map in the front end, just copy the shortcode [WPOC_MAP type=location] which is shown in the top of the WP OpenStreetMap Cluster settings page.



The above image is the representation of location based map.

pits



This is how the individual location popup will look like.

4.2 Post type Based Map Cluster

Post type based map cluster is nothing but assigning the already created locations to a separate post type and populate a map cluster.

In simple words, Let's consider you have an MNC and your offices are in different locations so you need to display a cluster map with the locations and also the employees who are working in that location. Let's assume you have a separate post type for employees. So, what you have to do is create the office locations under the the locations menu. Then assign those locations inside the employee post edit page. In that way map will be displayed based on the office locations and also employees will be populated in a slider.

Following steps will give you more detail about how to implement this.

Step 1: Go to Settings » Click on the WP OpenStreetMap Cluster Menu

Step 2: Enable the option Post type cluster and select the post type you want to use as a cluster. If you have a post type called "employee" then you have to select employee here.



WP OpenStreetMap Cluster Settings	
Common settings	
Show location based map:	[WPOC_MAP type=location]
Enable Post Type Cluster	✓ Post type Cluster Show Map cluster based on the selected post type .
Select Post Type	× Post Select your preferred post type.
Location Zoom Level	4 Set the zoom level from 0.5 to 18. Default is 4

Once you select the post type do save the changes. After that you can see new options have displayed under the location settings like this,

Post Cluster Settings	
Show Post based map:	[WPOC_MAP type=post]
Zoom level	4 Set the zoom level from 0.5 to 18. Default is 4
Post Position Latitude	38.685516 Set the latitude position of the map. Default: 38.685516
Post Positiom Longitude	-101.073324 Set the longitude position of the map. Default: -101.073324
Common Marker For Post Based Map	Set Common Marker This will override the images set in post.
Change Tile For Post Based Map	Default Theme V

This is a post type specific setting. In my case I have chosen the "post" as a post type that is why it shows Post Cluster Settings. Whatever the configuration you do in this section that will be affected only to that specific post type based map. These options will work same as explained in the location based map configuration.

After configuring this, you can go to the post edit page and do the following things,



Under each edit page you can find the section WP OpenStreetMap Cluster. There you can add locations, Cluster title, Cluster image and contents need to be displayed beside the image.

Person 19
Type / to choose a block
WP OpenStreetMap Cluster
Add locations 🗐 Bangalore) 🗶 Delhi
Cluster Title
Cluster title: Tim Kenny
Location Image
Add Image
Add Media Remove media
Location PopUp Texts
$B \ I \ \ 44 \ \tiny eee \ \boxminus \ \boxdot \ \varUpsilon \ \mathscr{O} \ \times$
Designation
Address
Contact Number
Mail

Once this process is done you can simply copy the shortcode which is shown under the Post Cluster Settings. In our case that is [WPOC_MAP type=post]

pits		
Post Cluster Settings		
Show Post based map:	[WPOC_MAP type=post]	
Zoom level	4 Set the zoom level from 0.5 to 18. Default is 4	
Post Position Latitude	38.685516 Set the latitude position of the map. Default: 38.685516	
Post Positiom Longitude	-101.073324 Set the longitude position of the map. Default: -101.073324	
Common Marker For Post Based Map	Set Common Marker This will override the images set in post.	

And this will be the final output of the map.







When you click on a single person and that will give the following result.





If the user doesn't want to show cluster and only needs to show the locations then then user can create locations and adjust the zoom options based on to avoid the cluster.

5.0 WpBakery Page Builder Support

WP OpenStreetMap Cluster provide the support to use the element to populate the map.

You can find the element under the WP OpenStreetMap Cluster.

Add	Element						Q Search elem	nent by name
All	Content	Social	Structure	WordPress Widgets	WP OpenStreetMap Cluster	Deprecated		
	WP OpenS Cluster	treetMap						
				+ Add Element	Add Text Block	Add Template		Order 0 Need help? Use the Hi screen title.

Here you can add Map title, Map type, Zoom level and Position latitude and longitude. This will automatically display the map.

Classic Mode Frontend Editor Gutenberg Ed	itor	
VPBakery Page Builder	WP OpenStreetMap Cluster Settings	~ ¥ *
🐤 🕂 🖬	······································	ව 🤁 🚺 🌣
8 = +	Map Title	т // П X
E31		
WP OpenStreetMap Cluster	Cluster map type?	
	Location ~	
	Zoom Level	
	Default: 4	
Navarlan	Position Latitude	
nscussion		
Allow comments Allow <u>trackbacks and pingbacks</u> on this page	Default: 38.685516	
	Position Longitude	
ilug		A ¥ .
	Default: -101.073324	

6.0 Add Custom Css

In WP OpenStreetMap Cluster, it is possible to add you own CSS that will overwrite the existing styles.

R	Appearance	Add Custom Cor			
si.	Plugins 🔕	Add Custom Css WP OpenStreetMap Cluster allows you to add your own styles or override the default CSS of a plugin or theme. The styles you save here will remain even if you switch themes.			
*	Users				
×	Tools				
۹	WPBakery Page Builder	Add Custom Css 1 /* Enter Your Custom CSS Here */			
5	Settings				
G					
w	riting				
Re	ading				
Di					
м	edia				
Pe	rmalinks				
Pr	ivacy				
D	uplicate Post				
w ci	P OpenStreetMap uster	Save Changes			

7.0 Map Licences

As per the <u>WordPress Plugin Guidelines</u> we didn't provide any option to remove the map credits in the map and it is mandate to give the credits to the map provider.

8.0 Things to Remember

As per the current functionality of the plugin we cannot display the same type of the map in the same page. I.e., If you need to display a location-based map in the same page twice, that is not possible. But it is possible when you need to display two different post type maps



in the same page. This plugin is WPML friendly.

9.0 Support

If you need support, please write to us at pitscustomersupport@webshopextension.com

10.0 Version Details

SI. no	Version	Details of Changes
1	V1.0.0	Initial Release