

```

<?xml version="1.0" encoding="UTF-8"?>
<!--
  [y] hybris Platform

  Copyright (c) 2018 SAP SE or an SAP affiliate company.
  All rights reserved.

  This software is the confidential and proprietary
  information of SAP
  ("Confidential Information"). You shall not disclose such
  Confidential
  Information and shall use it only in accordance with the
  terms of the
  license agreement you entered into with SAP.
-->
<beans xmlns="http://www.springframework.org/schema/beans"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:context="http://www.springframework.org/schema/con
text"
  xmlns:util="http://www.springframework.org/schema/util"
  xsi:schemaLocation="http://www.springframework.org/schem
a/beans
  http://www.springframework.org/schema/beans/spring-
beans.xsd
  http://www.springframework.org/schema/context
http://www.springframework.org/schema/context/spring-
context.xsd
  http://www.springframework.org/schema/util
  http://www.springframework.org/schema/util/spring-
util.xsd">

  <context:annotation-config/>

  <context:component-scan base-
package="com.pitsstore1808.storefront.controllers.pages.che
ckout" scope-
resolver="de.hybris.platform.spring.IgnoreTenantScopeMetada
taResolver" />

  <!-- Checkout Steps -->

  <alias name="abstractCheckoutStep"
alias="checkoutStep"/>

```

```
<bean id="abstractCheckoutStep"
class="de.hybris.platform.acceleratorstorefrontcommons.checkout.steps.CheckoutStep" abstract="true" />
```

```
<alias name="defaultMultiStepCheckout"
alias="multiStepCheckout" />
```

```
<bean id="defaultMultiStepCheckout"
parent="checkoutStep">
  <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
  <property name="checkoutStepValidator"
ref="defaultMultiStepCheckoutValidator"/>
  <property name="transitions">
    <map>
      <entry key="previous" value-
ref="REDIRECT_TO_CART"/>
      <entry key="current" value-
ref="REDIRECT_MULTI_STEP_CHECKOUT"/>
      <entry key="next" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
    </map>
  </property>
  <property name="progressBarId" value="multi"/>
</bean>
```

```
<alias name="defaultDeliveryAddressCheckoutStep"
alias="deliveryAddressCheckoutStep" />
```

```
<bean id="defaultDeliveryAddressCheckoutStep"
parent="checkoutStep">
  <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
  <property name="checkoutStepValidator"
ref="deliveryAddressCheckoutValidator"/>
  <property name="transitions">
    <map merge="true">
      <entry key="previous" value-
ref="REDIRECT_TO_CART"/>
      <entry key="current" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
      <entry key="next" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
    </map>
  </property>
```

```

        <property name="progressBarId"
value="deliveryAddress"/>
    </bean>

    <alias name="defaultDeliveryMethodCheckoutStep"
alias="deliveryMethodCheckoutStep" />
    <bean id="defaultDeliveryMethodCheckoutStep"
parent="checkoutStep">
        <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
        <property name="checkoutStepValidator"
ref="deliveryMethodCheckoutValidator"/>
        <property name="transitions">
            <map merge="true">
                <entry key="previous" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
                <entry key="current" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
                <!-- <entry key="next" value-
ref="REDIRECT_TO_PAYMENT_METHOD"/>-->
                <entry key="next" value-
ref="REDIRECT_TO_SUMMARY"/>
            </map>
        </property>
        <property name="progressBarId"
value="deliveryMethod"/>
    </bean>

    <alias name="defaultPickupLocationCheckoutStep"
alias="pickupLocationCheckoutStep" />
    <bean id="defaultPickupLocationCheckoutStep"
parent="checkoutStep">
        <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
        <property name="checkoutStepValidator"
ref="defaultPickupCheckoutValidator"/>
        <property name="transitions">
            <map merge="true">
                <entry key="previous" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
                <entry key="current" value-
ref="REDIRECT_TO_PICKUP_LOCATION"/>
                <!-- <entry key="next" value-
ref="REDIRECT_TO_PAYMENT_METHOD"/>-->
            </map>
        </property>
    </bean>

```

```

        <entry key="next" value-
ref="REDIRECT_TO_SUMMARY"/>
    </map>
</property>
<property name="progressBarId"
value="deliveryMethod"/>
</bean>

<alias name="defaultPaymentMethodCheckoutStep"
alias="paymentMethodCheckoutStep" />
<bean id="defaultPaymentMethodCheckoutStep"
parent="checkoutStep">
    <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
    <property name="checkoutStepValidator"
ref="defaultPaymentMethodCheckoutValidator"/>
    <property name="transitions">
        <map merge="true">
            <entry key="previous" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
            <entry key="current" value-
ref="REDIRECT_TO_PAYMENT_METHOD"/>
            <entry key="next" value-
ref="REDIRECT_TO_SUMMARY"/>
        </map>
    </property>
    <property name="progressBarId"
value="paymentMethod"/>
</bean>

<alias name="defaultSummaryCheckoutStep"
alias="summaryCheckoutStep" />
<bean id="defaultSummaryCheckoutStep"
parent="checkoutStep">
    <property name="checkoutGroup"
ref="defaultCheckoutGroup"/>
    <property name="checkoutStepValidator"
ref="defaultSummaryCheckoutValidator"/>
    <property name="transitions">
        <map merge="true">
            <!-- <entry key="previous"
value-ref="REDIRECT_TO_PAYMENT_METHOD"/>-->
            <entry key="previous" value-
ref="REDIRECT_TO_CART"/>

```

```

                <entry key="current" value-
ref="REDIRECT_TO_SUMMARY"/>
                <entry key="next"
value="redirect:/checkout/orderConfirmation/%s"/>
            </map>
        </property>
        <property name="progressBarId"
value="confirmOrder"/>
    </bean>

    <!-- Responsive Checkout Steps START -->

    <alias name="defaultResponsiveMultiStepCheckout"
alias="responsiveMultiStepCheckout" />
    <bean id="defaultResponsiveMultiStepCheckout"
parent="checkoutStep">
        <property name="checkoutGroup"
ref="responsiveCheckoutGroup"/>
        <property name="checkoutStepValidator"
ref="defaultResponsiveMultiStepCheckoutValidator"/>
        <property name="transitions">
            <map>
                <entry key="previous" value-
ref="REDIRECT_TO_CART"/>
                <entry key="current" value-
ref="REDIRECT_MULTI_STEP_CHECKOUT"/>
                <entry key="next" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
            </map>
        </property>
        <property name="progressBarId" value="multi"/>
    </bean>

    <alias
name="defaultResponsiveDeliveryAddressCheckoutStep"
alias="responsiveDeliveryAddressCheckoutStep" />
    <bean id="defaultResponsiveDeliveryAddressCheckoutStep"
parent="checkoutStep">
        <property name="checkoutGroup"
ref="responsiveCheckoutGroup"/>
        <property name="checkoutStepValidator"
ref="defaultResponsiveDeliveryAddressCheckoutValidator"/>
        <property name="transitions">
            <map merge="true">

```

```

        <entry key="previous" value-
ref="REDIRECT_TO_CART"/>
        <entry key="current" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
        <entry key="next" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
    </map>
</property>
<property name="progressBarId"
value="deliveryAddress"/>
</bean>

<alias
name="defaultResponsiveDeliveryMethodCheckoutStep"
alias="responsiveDeliveryMethodCheckoutStep" />
<bean id="defaultResponsiveDeliveryMethodCheckoutStep"
parent="checkoutStep">
    <property name="checkoutGroup"
ref="responsiveCheckoutGroup"/>
    <property name="checkoutStepValidator"
ref="defaultResponsiveDeliveryMethodCheckoutValidator"/>
    <property name="transitions">
        <map merge="true">
            <entry key="previous" value-
ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
            <entry key="current" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
            <!-- <entry key="next" value-
ref="REDIRECT_TO_PAYMENT_METHOD"/>-->
            <entry key="next" value-
ref="REDIRECT_TO_SUMMARY"/>
        </map>
    </property>
    <property name="progressBarId"
value="deliveryMethod"/>
</bean>

<alias name="defaultResponsivePaymentMethodCheckoutStep"
alias="responsivePaymentMethodCheckoutStep" />
<bean id="defaultResponsivePaymentMethodCheckoutStep"
parent="checkoutStep">
    <property name="checkoutGroup"
ref="responsiveCheckoutGroup"/>

```

```

        <!--<property name="checkoutStepValidator"
ref="defaultResponsivePaymentMethodCheckoutValidator"/>-->
        <property name="transitions">
            <map merge="true">
                <entry key="previous" value-
ref="REDIRECT_TO_DELIVERY_METHOD"/>
                <entry key="current" value-
ref="REDIRECT_TO_PAYMENT_METHOD"/>
                <entry key="next" value-
ref="REDIRECT_TO_SUMMARY"/>
            </map>
        </property>
        <property name="progressBarId"
value="paymentMethod"/>
    </bean>

    <alias name="defaultResponsiveSummaryCheckoutStep"
alias="responsiveSummaryCheckoutStep" />
    <bean id="defaultResponsiveSummaryCheckoutStep"
parent="checkoutStep">
        <property name="checkoutGroup"
ref="responsiveCheckoutGroup"/>
        <!--<property name="checkoutStepValidator"
ref="defaultResponsiveSummaryCheckoutValidator"/>-->
        <property name="transitions">
            <map merge="true">
                <!--<entry key="previous"
value-ref="REDIRECT_TO_PAYMENT_METHOD"/>-->
                <entry key="previous" value-
ref="REDIRECT_TO_CART"/>
                <entry key="current" value-
ref="REDIRECT_TO_SUMMARY"/>
                <entry key="next"
value="redirect:/checkout/orderConfirmation/%s"/>
            </map>
        </property>
        <property name="progressBarId"
value="confirmOrder"/>
    </bean>

    <!-- Responsive Checkout Steps END -->

    <!---Default checkout group-->

```

```

    <alias name="defaultMultiStepCheckoutGroup"
alias="defaultCheckoutGroup" />
    <bean id="defaultMultiStepCheckoutGroup"
class="de.hybris.platform.acceleratorstorefrontcommons.check
kout.steps.CheckoutGroup">
        <property name="groupId" value="defaultGroup"/>
        <property name="checkoutStepMap">
            <map merge="true">
                <entry key="multi" value-
ref="multiStepCheckout"/>
                <entry key="delivery-address" value-
ref="deliveryAddressCheckoutStep"/>
                <entry key="delivery-method" value-
ref="deliveryMethodCheckoutStep"/>
                <entry key="pickup-location" value-
ref="pickupLocationCheckoutStep"/>
                <entry key="payment-method" value-
ref="paymentMethodCheckoutStep"/>
                <entry key="summary" value-
ref="summaryCheckoutStep"/>
            </map>
        </property>
        <property name="validationResultsMap">
            <map merge="true">
                <entry key="FAILED" value-
ref="REDIRECT_TO_CART"/>
                <entry key="REDIRECT_TO_DELIVERY_ADDRESS"
value-ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
                <entry key="REDIRECT_TO_PICKUP_LOCATION"
value-ref="REDIRECT_TO_PICKUP_LOCATION"/>
                <entry key="REDIRECT_TO_CART" value-
ref="REDIRECT_TO_CART"/>
                <entry key="REDIRECT_TO_PAYMENT_METHOD"
value-ref="REDIRECT_TO_PAYMENT_METHOD"/>
                <entry key="REDIRECT_TO_DELIVERY_METHOD"
value-ref="REDIRECT_TO_DELIVERY_METHOD"/>
            </map>
        </property>
        <property name="checkoutProgressBar">
            <map merge="true">
                <entry key="1" value-
ref="deliveryAddressCheckoutStep"/>
                <entry key="2" value-
ref="deliveryMethodCheckoutStep"/>

```



```

                <!--                <entry key="3" value-
ref="paymentMethodCheckoutStep"/>-->
                <entry key="3" value-
ref="defaultSummaryCheckoutStep"/>
            </map>
        </property>
    </bean>

    <!---Default checkout group-->

    <!--Apparel store multistep checkout START -->

    <alias name="defaultMultiStepCheckoutGroupApparel"
alias="apparelCheckoutGroup" />
    <bean id="defaultMultiStepCheckoutGroupApparel"
class="de.hybris.platform.acceleratorstorefrontcommons chec
kout.steps.CheckoutGroup">
        <property name="groupId"
value="apparelCheckoutGroup"/>
        <property name="checkoutStepMap">
            <map merge="true">
                <entry key="multi" value-
ref="multiStepCheckout"/>
                <entry key="delivery-address" value-
ref="deliveryAddressCheckoutStep"/>
                <entry key="delivery-method" value-
ref="deliveryMethodCheckoutStep"/>
                <entry key="pickup-location" value-
ref="pickupLocationCheckoutStep"/>
                <entry key="payment-method" value-
ref="paymentMethodCheckoutStep"/>
                <entry key="summary" value-
ref="summaryCheckoutStep"/>
            </map>
        </property>
        <property name="validationResultsMap">
            <map merge="true">
                <entry key="FAILED" value-
ref="REDIRECT_TO_CART"/>
                <entry key="REDIRECT_TO_DELIVERY_ADDRESS"
value-ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
                <entry key="REDIRECT_TO_PICKUP_LOCATION"
value-ref="REDIRECT_TO_PICKUP_LOCATION"/>
            </map>
        </property>
    </bean>

```

```

        <entry key="REDIRECT_TO_CART" value-
ref="REDIRECT_TO_CART"/>
        <entry key="REDIRECT_TO_PAYMENT_METHOD"
value-ref="REDIRECT_TO_PAYMENT_METHOD"/>
        <entry key="REDIRECT_TO_DELIVERY_METHOD"
value-ref="REDIRECT_TO_DELIVERY_METHOD"/>
    </map>
</property>
<property name="checkoutProgressBar">
    <map merge="true">
        <entry key="1" value-
ref="deliveryAddressCheckoutStep"/>
        <entry key="2" value-
ref="deliveryMethodCheckoutStep"/>
        <entry key="3" value-
ref="paymentMethodCheckoutStep"/>
        <entry key="4" value-
ref="summaryCheckoutStep"/>
    </map>
</property>

</bean>

<!--Apparel store multistep checkout END -->

<!--Default Responsive checkout group START-->

    <alias name="defaultResponsiveMultiStepCheckoutGroup"
alias="responsiveCheckoutGroup" />
    <bean id="defaultResponsiveMultiStepCheckoutGroup"
class="de.hybris.platform.acceleratorstorefrontcommons.check
kout.steps.CheckoutGroup">
        <property name="groupId"
value="responsiveCheckoutGroup"/>
        <property name="checkoutStepMap">
            <map merge="true">
                <entry key="multi" value-
ref="responsiveMultiStepCheckout"/>
                <entry key="delivery-address" value-
ref="responsiveDeliveryAddressCheckoutStep"/>
                <entry key="delivery-method" value-
ref="responsiveDeliveryMethodCheckoutStep"/>
                <entry key="payment-method" value-
ref="responsivePaymentMethodCheckoutStep"/>
            </map>
        </property>
    </bean>

```

```

        <entry key="summary" value-
ref="responsiveSummaryCheckoutStep"/>
    </map>
</property>
<property name="validationResultsMap">
    <map merge="true">
        <entry key="FAILED" value-
ref="REDIRECT_TO_CART"/>
        <entry key="REDIRECT_TO_DELIVERY_ADDRESS"
value-ref="REDIRECT_TO_DELIVERY_ADDRESS"/>
        <entry key="REDIRECT_TO_CART" value-
ref="REDIRECT_TO_CART"/>
        <entry key="REDIRECT_TO_PAYMENT_METHOD"
value-ref="REDIRECT_TO_PAYMENT_METHOD"/>
        <entry key="REDIRECT_TO_DELIVERY_METHOD"
value-ref="REDIRECT_TO_DELIVERY_METHOD"/>
        <entry key="REDIRECT_TO_SUMMARY" value-
ref="REDIRECT_TO_SUMMARY"/>
    </map>
</property>
<property name="checkoutProgressBar">
    <map merge="true">
        <entry key="1" value-
ref="responsiveDeliveryAddressCheckoutStep"/>
        <entry key="2" value-
ref="responsiveDeliveryMethodCheckoutStep"/>
        <!-- <entry key="3" value-
ref="responsivePaymentMethodCheckoutStep"/>-->
        <entry key="3" value-
ref="responsiveSummaryCheckoutStep"/>
    </map>
</property>
</bean>

<!---Default Responsive checkout group END-->

<!--Validation-->

<bean id="abstractCheckoutStepValidator"
class="de.hybris.platform.acceleratorstorefrontcommons.check
kout.steps.validation.AbstractCheckoutStepValidator"
abstract="true">
    <property name="checkoutFlowFacade"
ref="checkoutFlowFacade"/>

```

```
        <property name="checkoutFacade"
ref="checkoutFacade" />
    </bean>

    <bean id="defaultMultiStepCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultMultiStepCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="deliveryAddressCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultDeliveryAddressCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="deliveryMethodCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultDeliveryMethodCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="defaultPaymentMethodCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultPaymentCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="defaultPickupCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultPickupCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="defaultSummaryCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.DefaultSummaryCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />

    <bean id="defaultResponsiveMultiStepCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.ResponsiveMultiStepCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean
id="defaultResponsiveDeliveryAddressCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.ResponsiveDeliveryAddressCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean
id="defaultResponsiveDeliveryMethodCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.ResponsiveDeliveryMethodCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
```

```

    <bean
id="defaultResponsivePaymentMethodCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.ResponsivePaymentCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />
    <bean id="defaultResponsiveSummaryCheckoutValidator"
class="com.pitsstore1808.storefront.checkout.steps.validati
on.impl.ResponsiveSummaryCheckoutStepValidator"
parent="abstractCheckoutStepValidator" />

    <!--Validation-->

    <!--Checkout GroupMap-->
    <util:map id="checkoutFlowGroupMap" >
        <entry key="apparelCheckoutGroup" value-
ref="apparelCheckoutGroup"/>
        <entry key="defaultCheckoutGroup" value-
ref="defaultCheckoutGroup"/>
        <entry key="responsiveCheckoutGroup" value-
ref="responsiveCheckoutGroup"/>
    </util:map>
    <!--Checkout GroupMap-->

    <!-- Redirects -->

    <bean id="REDIRECT_TO_CART" class="java.lang.String">
        <constructor-arg value="redirect:/cart"/>
    </bean>

    <bean id="REDIRECT_MULTI_STEP_CHECKOUT"
class="java.lang.String">
        <constructor-arg value="redirect:/checkout/multi"/>
    </bean>

    <bean id="REDIRECT_TO_DELIVERY_ADDRESS"
class="java.lang.String">
        <constructor-arg
value="redirect:/checkout/multi/delivery-address/add"/>
    </bean>

    <bean id="REDIRECT_TO_DELIVERY_METHOD"
class="java.lang.String">

```

```
        <constructor-arg
value="redirect:/checkout/multi/delivery-method/choose"/>
    </bean>

    <bean id="REDIRECT_TO_PICKUP_LOCATION"
class="java.lang.String">
        <constructor-arg
value="redirect:/checkout/multi/pickup-location/choose"/>
    </bean>

    <bean id="REDIRECT_TO_PAYMENT_METHOD"
class="java.lang.String">
        <constructor-arg
value="redirect:/checkout/multi/payment-method/add"/>
    </bean>

    <bean id="REDIRECT_TO_SUMMARY" class="java.lang.String">
        <constructor-arg
value="redirect:/checkout/multi/summary/view"/>
    </bean>

</beans>
```