



USER GUIDE

DATATRANS PAYMENT INTEGRATON

FOR MAGENTO 2.4.5 - 2.4.9

Version 1.0.2

Table Of Contents

1.0	INTRODUCTION.....	5
1.1	About Datatrans.....	5
1.2	About Magento Module.....	5
1.3	Supported Languages	6
1.4	Supported Currencies.....	6
2.0	INSTALLATION.....	7
2.1	New Installation	7
2.2	Cron Setup.....	8
3.0	CONFIGURATION	8
3.1	General Configuration.....	9
3.1.1	Enable Datatrans Module	9
3.1.2	Environment.....	10
3.1.3	Live/Test Merchant ID.....	10
3.1.4	Live/Test API Password	11
3.1.5	Enable Card Saving (Alias Registration).....	12
3.1.6	Test Webhook HMAC Key	12
3.1.7	Display Transaction ID in Storefront and Order Email.....	12
3.2	Log Settings	13
3.2.1	Enable API Error Log	13
3.2.2	View API Error Log	13
3.2.3	Enable API Debug Log.....	13
3.2.4	View API Debug Log.....	14
3.3	Payment Method-Specific Configuration.....	14
3.3.1	Enabled.....	16
3.3.2	Title.....	16
3.3.3	Description.....	16
3.3.4	Payment from Applicable Countries.....	16
3.3.5	Payment from Specific Countries	16
3.3.6	Accepted Currencies.....	16
3.3.7	Authorisation Method	17
3.3.8	Capture Type.....	17
3.3.9	Send Invoice Email	17
3.3.10	Invoice Generation	17
3.3.11	Send Customer Address.....	17
3.3.12	Payment Brands	18
3.3.13	Show Payment Icon	18
3.3.14	Minimum / Maximum Order Total	18
3.3.15	Sort Order.....	18
3.4	Payment Method Specifics	18
3.4.1	Test Cards.....	18
4.0	ORDER MANAGEMENT	19
4.1	Transaction Status.....	19

4.2	Actions Available	20
4.2.1	Capture	20
4.2.2	Refund Payment	23
4.2.3	Void / Cancel Authorization	24
4.3	Transaction Overview	25
5.0	DATATRANS SAVED CARDS	28
5.1	Saved Cards Registration	29
5.2	Managing Saved Cards	29
5.3	Technical Context	30
5.4	Frontend and Checkout Behavior with Saved Cards	30
5.4.1	Saved Card Selection at Checkout	30
5.4.2	Adding a New Card During Checkout	31
5.4.3	Security and Data Privacy	32
5.4.4	Multi-Alias Support	32
6.0	LOGGING AND DEBUGGING	32
6.1	Error Log	32
6.2	Debug Log	33
6.3	Log Configuration in Magento Admin	34
7.0	SUPPORT	35

ABOUT DOCUMENT

Version No:	Prepared by	Version Changes	Date
1.0.0	Shanty Justus, Deepthi Joseph, Vishnu S	Prepared initial document version	06-11-2025
1.0.1	Shanty Justus, Deepthi Joseph, Vishnu S	Compatible with Magento Version 2.4.5 to 2.4.8 p3, Compatible with latest Hyva Theme version 1.42 and Hyva checkout 1.38	18-02-2026
1.0.2	Shanty Justus, Vishnu S	Compatible with Magento Version 2.4.5 to 2.4.9, Compatible with latest Hyva Theme version 1.46 and Hyva checkout 1.3.10, Added Twint payment method	19-08-2026

1.0 INTRODUCTION

1.1 About Datatrans

Datatrans is a leading Swiss payment service provider, offering a secure and flexible e-commerce payment solution trusted by merchants worldwide. With Datatrans, businesses can provide their customers with a seamless checkout experience that supports a wide variety of national and international payment methods—including credit cards, debit cards, digital wallets, and alternative payment options.

Designed for scalability and flexibility, Datatrans integrates smoothly with online shops of all sizes and industries. The solution ensures high levels of security and compliance, including PCI DSS certification and support for 3-D Secure, protecting sensitive customer data and minimizing fraud risk.

Through its modular setup, Datatrans empowers merchants to tailor their payment processes, optimize transaction handling, and leverage features such as alias management (securely saving cards for future use), multiple payment brand support, and customizable authorization flows. Whether operating a small online store or a large-scale e-commerce platform, Datatrans delivers a reliable, future-ready payment infrastructure built to meet the needs of modern digital commerce.

This guide is designed to help merchants install, configure, and manage the **Datatrans Payment Module** in their Magento 2 store.

Using the Datatrans plugin, merchants can:

- Offer a wide range of secure payment methods to their customers
- Ensure smooth integration between backend configuration and frontend checkout experience
- Customize payment behavior through flexible settings tailored to business needs

This manual will walk you through:

- System requirements and installation steps
- Configuration of key module settings and their impact on the customer experience
- Functional details of payment methods and how each setting affects order handling and transaction flow

1.2 About Magento Module

This module is implemented to integrate Datatrans Payment methods in Magento. It supports the following payment methods of Datatrans to work with default Magento 2 checkout. The supported payment methods are

1. Datatrans Credit/Debit Cards

Brands

1. MasterCard
2. Visa
3. American Express
4. China Union Pay
5. Diners Club
6. Discover
7. JCB
8. Maestro
9. Dankort

2. Datatrans GooglePay

3. Datatrans PostFinancePay

4. Datatrans Sepa Elv

5. Datatrans Samsung Pay

6. Datatrans Twint

1.3 Supported Languages

The module provides translation for German (Germany) (**de_DE**), English (United States) (**en_US**) and (**it_IT**) Italian (Italy) locale.

1.4 Supported Currencies

The Datatrans Magento 2 module supports multiple currencies depending on the payment method and the merchant's Datatrans account configuration. The currencies listed below have been **tested and verified** for each respective payment method. If your Datatrans merchant account supports additional currencies not listed here, **PIT Solutions** can provide support to extend the currency list accordingly.

Payment Method	Tested Currencies
Credit/Debit Cards	Swiss Franc (CHF), Danish Krone (DKK), Euro (EUR), British Pound (GBP), Norwegian Krone (NOK), Swedish Krona (SEK), US Dollar (USD)
Google Pay	Swiss Franc (CHF), Danish Krone (DKK), Euro (EUR), British Pound (GBP), Norwegian Krone (NOK), Swedish Krona (SEK), US Dollar (USD)
PostFinance Pay	Swiss Franc (CHF)
SEPA ELV	Swiss Franc (CHF), Euro (EUR)

Payment Method	Tested Currencies
Samsung Pay	Swiss Franc (CHF), Danish Krone (DKK), Euro (EUR), British Pound (GBP), Norwegian Krone (NOK), Swedish Krona (SEK), US Dollar (USD)
Twint	Swiss Franc (CHF)

2.0 INSTALLATION

This chapter explains how to install the **Datatrans Payment Module** for Magento 2.

System Requirements:

Please ensure the following requirements are met before installing the plugin:

- **Magento Version:** Magento 2.4.5 – 2.4.9 (tested and supported)
- **PHP Version:** 8.1 – 8.5
- **Composer:** Composer 2+

Note: Datatrans requires a secure HTTPS environment to function correctly.

2.1 New Installation

The steps below explain how to install and activate the Datatrans payment

Step 1: Download the Plugin

If you're installing the extension from the Magento Marketplace, follow the installation instructions provided there to install the module using composer. If the module is downloaded as a ZIP, extract the content of the module to the path rootFolder/

Step 2: Enable the Module

Run the following commands from your Magento root directory:

```
bin/magento module:enable Pits_DatatransPayment
bin/magento module:enable Pits_DatatransPaymentHyva
```

NB: Disable the module Pits_DatatransPaymentHyva, if the shop does not use Hyva theme and Hyva Checkout

```
bin/magento setup:upgrade
```

Step 3: Deploy Static Content

Deploy static files for the supported store locales:

```
bin/magento setup:static-content:deploy -f
```

Step 4: Clear Cache

bin/magento cache:flush

Step 5: Verify Installation

Log in to the Magento Admin panel and navigate to:

Magento Admin Panel → Stores → Configuration → Pits Configuration → Datatrans

You should now see the Datatrans configuration sections available.

Additional : Install and Build Custom Checkout Style using Tailwind (Hyvä)

To apply custom styles for the checkout area (if using **Hyvä Checkout**), follow these additional steps. Log in to your server via SSH, navigate to your **Magento root folder**, and execute the following commands

Hyvä Theme Tailwind Build Commands

```
npm --prefix vendor/hyva-themes/magento2-default-theme/web/tailwind/ ci
```

```
npm --prefix vendor/hyva-themes/magento2-default-theme/web/tailwind/ run build
```

Generate Hyvä configuration

```
php bin/magento hyva:config:generate
```

Install Node.js dependencies (Tailwind) and build production CSS

```
cd vendor/hyva-themes/magento2-default-theme/web/tailwind
```

```
npm install
```

```
npm run build
```

Ensure npm is installed on your system. If not, install it using your system's package manager or from <https://nodejs.org/>

2.2 Cron Setup

The Datatrans Payment Module uses Magento's cron system to perform background tasks such as cancelling abandoned orders and to process the payment on hold due to API outage. For these tasks to run automatically, a cron job must be configured on your server.

Step 1: Verify Magento Cron Installation

Magento requires its own cron jobs to be active. If cron is not yet configured for your Magento project, set it up using the following command: bin/magento cron:install

3.0 CONFIGURATION

The **Datatrans module configuration** in Magento 2 includes two sections:

1. **General Configuration**

All configuration options are available in the Magento Admin panel under:
Magento Admin Panel → Stores → Configuration → Pits Configuration → Datatrans
 These settings control both the backend logic and the frontend checkout experience. Each field directly affects how payments are processed, displayed to customers, and logged for transaction tracking.

General configuration of the Datatrans module can be found under:
Magento Admin Panel → Stores → Configuration → Pits Configuration → Datatrans → General Settings. These settings determine how the module operates globally, and they directly affect both the backend (transaction handling, logging) and the frontend (checkout flow, order mails). Please see Figure 1

Figure 1

Type: Yes/No (Select)

- **Description:** Turns the Datatrans payment module on or off.
 - **Frontend Impact:** If set to “No”, none of the Datatrans payment methods will be visible during checkout.
-

3.1.2 Environment

Type: Select (Test Mode/ Live Mode)

- **Description:** Defines which environment to use for transaction processing.
 - **Test Mode**– For development and sandbox testing with test credentials.
 - **Live Mode**– For production payments with real customer transactions.
 - **Impact:** Controls which API credentials and endpoints are used. Must be set to **Live** before going live.
-

3.1.3 Live/Test Merchant ID

Type: Text

- **Description:** Merchant identifier provided by Datatrans for your live/test account.
- **Where to find it:** Available in the Datatrans Backoffice. Please login to the Datatrans Backoffice, and from the landing page choose the ‘Change Merchant’ option to web. Please see Figure 2.
- Once Merchant is changed, choose UPP Administration option and select the Security option to see the Merchant ID.
- **Impact:** Used to authenticate transactions in the live environment.




Figure 2




Figure 3

3.1.4 Live/Test API Password

Type: Text

- **Description:** API password associated with your live/test Merchant ID.
- **Where to find it:** Available in the Datatrans Backoffice. Please login to the Datatrans Backoffice, and from the landing page choose the 'Change Merchant' option to web. Please see Figure 2.

- Once Merchant is changed, choose UPP Administration option and select the Security option to generate the password.
-

3.1.5 Enable Card Saving (Alias Registration)

Type: Yes/No (Select)

- **Description:** Allows customers to securely save their card details (tokenized as an alias) for future purchases.
 - **Frontend Impact:**
 - A **Saved Cards** section appears in the customer's "My Account" area.
 - During checkout, customers can select from saved cards or add a new one.
 - **Security:** Card details are never stored in Magento; they are securely handled by Datatrans.
-

3.1.6 Test Webhook HMAC Key

Type: Password/Encrypted Text

- **Description:** Defines the HMAC key used to verify Datatrans webhook callback signatures in Test Mode.
 - Test Webhook HMAC Key – Used only for sandbox/test transactions.
 - The key must match the HMAC key configured in the Datatrans Sandbox Security Settings.

Impact: Enables secure validation of incoming Datatrans webhook notifications. If the key is missing or incorrect, webhook signature verification may fail and transaction status updates may not be processed correctly.

3.1.7 Display Transaction ID in Storefront and Order Email

Type: Yes/No (Select)

- **Description:** Defines whether the unique Datatrans transaction ID should be displayed to the customer.
- **Frontend Impact:**
 - If enabled, the transaction ID is shown on the **Order Success Page**, **My Accounts-Sales Order View page** and included in the **Order Confirmation email**.

- **Benefit:** Provides transparency for customers and simplifies transaction tracking for support teams.

3.2 Log Settings

The Datatrans module provides logging options to help merchants and developers to monitor, troubleshoot, and validate transactions. Logs can be managed under:

Magento Admin Panel → Stores → Configuration → Pits Configuration → Datatrans → Log Settings. These settings control how API errors and debug information are recorded, and they provide direct access to view log files from the Magento Admin.

3.2.1 Enable API Error Log

Type: Yes/No (Select)

- **Description:** Enables or disables logging of all API errors encountered during communication with Datatrans.
 - **Impact:**
 - **Yes** – All failed API calls, invalid responses, and error messages are recorded.
 - **No** – Errors will not be logged.
 - **Recommendation:** Keep this enabled in both **Test** and **Live** environments to simplify issue tracking.
-

3.2.2 View API Error Log

Type: Button (Admin Action)

- **Description:** Provides a direct link in the Magento Admin to view the API error log file.
 - **Impact:**
 - Opens a list of logged errors, including timestamp, request details, and error message.
 - Helps merchants quickly identify and resolve issues without accessing the server directly.
 - **File Location:** Errors are stored in `var/log/datatrans_error.log`.
-

3.2.3 Enable API Debug Log

Type: Yes/No (Select)

- **Description:** Enables or disables detailed logging of API communication with Datatrans (including request and response payloads).
 - **Impact:**
 - **Yes** – All the request/response API calls are logged in detail.
 - **No** – No debug-level logs are written. Recommended for production to avoid large log files.
-

3.2.4 View API Debug Log

Type: Button (Admin Action)

- **Description:** Provides a direct link in the Magento Admin to view the debug log file.
- **Impact:**
 - Shows full API request/response data for troubleshooting.
 - Useful for verifying whether data is being sent correctly to Datatrans.
- **File Location:** Debug logs are stored in `var/log/datatrans_debug.log`.

3.3 Payment Method-Specific Configuration

Each payment method available through Datatrans can be configured separately in the Magento Admin under: **Magento Admin Panel** → **Stores** → **Configuration** → **Sales** → **Payment Methods** → **Datatrans [Payment Method]**. Not all payment methods may be included in your Datatrans contract. Please ensure you only enable those that are contractually available to you. Below is an example configuration for **Datatrans Credit & Debit Cards**. Other payment methods share the same structure and options. Please see Figure 4.

Datatrans Credit & Debit cards

Enabled

[website]

Yes

▼

Title

[store view]

Datatrans Credit/Debit Cards

Description

[store view]

Payment from Applicable Countries

[website]

All Allowed Countries

▼

Payment from Specific Countries

[website]

Antarctica

Antigua & Barbuda

Argentina

Armenia

Aruba

Australia

Austria

Azerbaijan

Bahamas

Bahrain

Bangladesh

Accepted Currencies

[website]

Swiss Franc (CHF)

Danish Krone (DKK)

Euro (EUR)

British Pound (GBP)

Norwegian Krone (NOK)

Swedish Krona (SEK)

US Dollar (USD)

Authorisation Method

[store view]

Lightbox

▼

Controls how payment page is displayed.

Capture Type

[store view]

Delayed Capture

▼

Autocapture captures and invoices instantly. Delayed Capture reserves amount.

Invoice Generation

[store view]

Automatic

▼

Automatic generates invoice after order placement.

Send Customer Address

[store view]

No

▼

This option will send customer address to Datatrans.

Payment Brands

[store view]

MasterCard

Visa

American Express

China Union Pay

Diners Club

Discover

JCB

Maestro

Dankort

Select the payment brands that should be available to customers.

Show Payment Icon

[store view]

Yes

▼

Minimum Order Total

[website]

Maximum Order Total

[website]

Figure 4

3.3.1 Enabled

Type: Yes/No (Select)

- **Description:** Activates or deactivates the payment method.
 - **Frontend Impact:** If set to **No**, the method will not appear during checkout.
-

3.3.2 Title

Type: Text

- **Description:** Defines the label shown to customers at checkout (e.g., “Google Pay”).
 - **Frontend Impact:** Displayed on the payment method selection screen.
-

3.3.3 Description

Type: Textarea

- **Description:** Custom description shown below the title at checkout.
 - **Frontend Impact:** Helps customers understand the payment method (e.g., “Pay quickly using your Credit/Debit card”).
-

3.3.4 Payment from Applicable Countries

Type: Select (All Allowed Countries / Specific Countries)

- **Description:** Controls whether this method is available worldwide or restricted to specific countries.
-

3.3.5 Payment from Specific Countries

Type: Multi-select (Country List)

- **Description:** If “Specific Countries” is selected above, choose which countries are allowed.
-

3.3.6 Accepted Currencies

Type: Multi-select

- **Description:** Defines which currencies are supported for this payment method.
 - **Note:** Ensure that your Datatrans terminal supports these currencies.
-

3.3.7 Authorisation Method

Type: Select

- **Options:**

Redirect – Customer is redirected to a secure Datatrans-hosted payment page.

Lightbox – Payment form is shown directly within Magento checkout.

- **Frontend Impact:** Defines how the customer experiences the payment flow.
-

3.3.8 Capture Type

Type: Select

- **Options:** Auto Capture / Delayed Capture

Auto Capture – Funds are captured immediately after authorization. The payment is finalized, and an invoice can be automatically generated.

- **Backend Impact:** Magento creates and marks the invoice as paid automatically.

Delayed Capture – The payment is only authorized (amount reserved on the customer's card). The merchant must manually capture funds later from the Magento Admin.

- **Frontend Impact:** Customer sees the order as placed, but funds are only reserved.
 - **Backend Impact:** Merchant must trigger the "Capture" action in the Magento Admin to finalize payment and generate the invoice.
-

3.3.9 Send Invoice Email

Type: Yes/No (Select)

- **Description:** Automatically sends the Magento invoice email after auto-capture.
 - **Dependency:** Visible only if **Capture Type = Auto**.
-

3.3.10 Invoice Generation

Type: Manual/Automatic (Select)

- **Description:** Automatically generate invoice after order placement.
 - **Dependency:** Visible only if **Capture Type = Delayed**.
-

3.3.11 Send Customer Address

Type: Select

- **Options:** No/Billing Address /Shipping Address /Both Billing and Shipping

- **Description:** Controls what address details are sent to Datatrans for transaction records.
-

3.3.12 Payment Brands

Type: Brands (Multiselect)

- **Description:** Select the credit/debit card brands that should be available to customers in the payment interface.
-

3.3.13 Show Payment Icon

Type: Yes/No (Select)

- **Description:** Displays the Credit/Debit card logo/icon next to the payment option at checkout.
-

3.3.14 Minimum / Maximum Order Total

Type: Numeric

- **Description:** Restrict availability of the payment method based on order total.
 - **Frontend Impact:** Payment method is hidden if the order total is outside the defined range.
-

3.3.15 Sort Order

Type: Numeric

- **Description:** Determines the position of this payment method in the checkout list (lower numbers appear first).

3.4 Payment Method Specifics

Datatrans supports a wide range of international and local payment methods. Not all methods may be included in your merchant contract agreement. Please verify your contract with Datatrans before enabling them in Magento. Below are the official integration and documentation links for commonly used payment methods:

[Datatrans Payment Methods Documentation](#)

3.4.1 Test Cards

To test payments in your Magento environment, Datatrans provides sandbox credentials and test cards. These credentials are only supported in the sandbox environment. For

production testing, real transactions are required. For detailed information on testing credentials and test cards, please refer to the official Datatrans documentation:

[Datatrans Testing Credentials Documentation](#)

4.0 ORDER MANAGEMENT

Once payment is completed and authorized through Datatrans, order-level management actions can be performed from Magento Admin Panel → Sales → Orders.

Select an order to view detailed Datatrans transaction data from the custom Datatrans Payment tab and to perform sale operations

4.1 Transaction Status

The current transaction status (e.g., AUTHORIZED, CAPTURED) is displayed in the Datatrans Payment tab.

Initialized

- When? Right after the customer clicks the Place Order button and is being redirected to the payment page.
- Details: A transaction entry is created, but the payment has not yet been completed. This may happen if the customer abandons the payment or an error occurs.
- Magento Internal Status: Pending Payment

Authorized

- When? The payment has been approved by the customer's bank, but funds are not yet transferred.
- Details: Requires manual or automatic capture based on the capture and liability settings.
- Magento Internal Status: Processing

Settled

- When? The funds have been confirmed for transfer from the customer's account
- Details: Transaction has been successfully captured after authorization.
- Magento Internal Status: Processing

Settled - Transmitted

- When? Datatrans has transmitted the settlement (capture) request to the acquirer for processing

- Details: This combined status means the transaction has been settled and the settlement data has been transmitted to the acquirer or payment processor for final processing.
- Magento Internal Status: Processing

Credited

- When? The transaction has been successfully refunded.
- Details: The customer has received their money back.
- Magento Internal Status: Closed

Credited - Transmitted

- When? When a refund (credit) has been initiated and Datatrans has transmitted the refund request to the acquirer
- Details: This status refers to a refund (credit) that has been successfully processed and transmitted to the acquirer. It confirms that the refund request has been accepted and forwarded for execution.
- Magento Internal Status: Closed

Settled - Credited

- When? After the transaction has been fully processed and Datatrans has confirmed that the amount has been credited back to the customer
- Details: This indicates that the original transaction was settled, and a refund (credit) has subsequently been issued. It reflects both the initial capture and the transfer of funds back.
- Magento Internal Status: Closed

Transmitted

- This status alone typically means that the transaction data has been sent to the acquirer but may not yet be confirmed as settled or credited. It's part of the finalization process

4.2 Actions Available

Capture Payment refers to the process of collecting funds from an authorized transaction. The behavior depends on your Capture Type configuration, invoice settings in Magento, and the payment method used.

4.2.1 Capture

Automatic Capture

- When the Capture Type is set to Automatic, funds are captured immediately after the payment is authorized.

- If invoice generation is also set to automatic, Magento will create a paid invoice for the order once the capture is completed.
- No manual action is required in the Magento backend.

Delayed Capture

- When the Capture Type is Delayed, the transaction remains authorized but funds are not yet collected.
- To capture the payment:

1. Manual Invoice Generation

If invoice generation is configured as *manual*, the merchant must create the invoice manually from the Magento Admin. Please see Figure 5

Creating the invoice triggers an **online capture** of the authorized amount through Datatrans.

2. Automatic Invoice Generation

If invoice generation is *automatic* but the capture type is configured as *manual (delayed)*, Magento will still generate the invoice automatically; however, the invoice will remain in a **Pending** state.

In this scenario, the merchant must manually click **Capture Payment** under the **Order Invoice** window to finalize the capture process. Please see Figure 6.

Invoice Totals

Subtotal	CHF 54.00
Shipping & Handling	CHF 5.00
Grand Total	CHF 59.00

Amount

☐ Append Comments

☐ Email Copy of Invoice

Figure 5

View Invoice #000000034 🔍 🔔 admin

← Back Cancel Login as Customer Send Email **Capture** Print

Invoice Information

Invoice # 000000034 (The invoice confirmation email is not sent)

Invoice Date Oct 8, 2025

Figure 6

Note on Multi-Capture:

- Datatrans supports multi-capture feature only for Cards
- Multi-capture allows merchants to capture funds separately for different items or partial quantities within a single order. Please see Fig 7
- Each capture action will generate a corresponding invoice (manual or automatic) in Magento, reflecting the captured amount.

Items to Invoice			
Product	Price	Qty	Qty to Invoice
Radiant Tee SKU: WS12-XS-Blue Size: XS Color: Blue	CHF 22.00	Ordered 1	1
Breathe-Easy Tank SKU: WT09-XS-Purple Size: XS Color: Purple	CHF 34.00	Ordered 1	0
Argus All-Weather Tank SKU: MT07-XS-Gray Size: XS Color: Gray	CHF 22.00	Ordered 1	0
Hero Hoodie SKU: MT07-XS-Blue	CHF 54.00	Ordered 1	0

Figure 7

Key Points:

- The Magento invoice status is directly linked to the capture action: a captured payment generates a paid invoice.
- After capture, the payment status is updated in both Magento and the Datatrans Backoffice.

4.2.2 Refund Payment

Refund Payment allows merchants to return funds to the customer for captured transactions. Refund behaviour depends on the **payment method**, **invoice status**, and whether the order has multiple invoices. Please see Figure 8




Figure 8

Full or Partial Refund

- Refunds can be processed **fully** (entire order amount) or **partially** (specific products or amounts).
- The refund is performed online through Datatrans and reflected in Magento.

Handling Multiple Paid Invoices

- If an order has **multiple paid invoices** (e.g., due to multi-capture or split shipments), each invoice can be refunded separately.
- Partial refunds can be applied to **one or more invoices**, and the refunded amount will be updated for each invoice.
- The Magento order status will reflect the cumulative refund:
 - **Fully refunded:** All invoices for the order are refunded.
 - **Partially refunded:** Some invoices or amounts have been refunded, while others remain paid.

Key Points:

- Refunds are only possible for **captured transactions**.
- Ensure that the refund amount matches the intended invoice(s) to avoid discrepancies.
- Each refund action generates a corresponding entry in the Datatrans Backoffice for audit and tracking.

4.2.3 Void / Cancel Authorization

Void Payment allows merchants to cancel an authorized transaction before the funds are captured. This ensures that no money is taken from the customer for orders that are canceled or not fulfilled. Please refer Figure 9.




Figure 9

Void Payment (Authorized, Not Captured)

- **When?** The transaction is authorized, but the payment has not yet been captured.
- **Details:**
 - The authorization is canceled in Datatrans.
 - No funds are collected from the customer.
 - The Magento order status is updated to **Canceled**.

Cancel Payment (Before Capture)

- **When?** The customer or merchant cancels the order before the capture is performed. Please see Figure 6.
- **Details:**
 - The transaction is canceled in Datatrans.
 - Magento updates the order status to **Canceled** automatically.

Key Points:

- Voids can only be performed on **authorized but uncaptured transactions**.
- Once a transaction has been captured, a **refund** must be used instead of a void.
- Voids ensure that no invoice is marked as paid in Magento, keeping financial records consistent.
- The Datatrans Backoffice reflects all void actions for auditing purposes.

Magento Core Patch Recommendation

If you encounter issues when capturing or cancelling an invoice (for example, a **404 error** when clicking **Capture** or **Cancel** in the Magento Admin), it may be due to known Magento core bugs.

These issues are addressed in the following patches:

Capture Fix: [39297.patch](#) – resolves the “*Offline invoice capture (404)*” issue by correcting the HTTP request method used in the Capture controller.

Cancel Fix: [39314.patch](#) – resolves the “*Cancel Invoice (Not Capture)*” 404 issue via the **Quality Patches Tool (QPT)**.

To ensure smooth operation of **Capture** and **Cancel** actions within the **Datatrans payment workflow**, it is strongly recommended to apply these patches if your Magento version does not yet include them.

4.3 Transaction Overview

The **Transaction Overview** section in the **Datatrans Payment** tab provides a detailed summary of each payment transaction processed through Datatrans. Please see Figure 10. This information is retrieved directly from the stored transaction data and helps merchants verify payment flow and transaction states without leaving the Magento Admin Panel.

Payment Information	
VISA	
Datatrans Credit/Debit Cards	
Transaction ID	251008135029230148
Datatrans Ref No	000000096
Transaction Type	Payment
Transaction Mode	Test
Transaction Status	Authorized
Authorized	Yes
Authorization Method	Redirect
Authorization Amount	59.00 CHF
Paid	No
Currency	CHF
Alias Registered	No
Card Brand	VISA
Masked Card	411111xxxxxx1111
3DS Status	Authenticated
Cancelled	No
Refunded	No

Figure 10

Below are the key data fields displayed for each transaction:

Field	Description
Merchant ID	Displays the Datatrans merchant identifier linked to your account.
Transaction ID	The unique transaction identifier generated by Datatrans for each payment.

Field	Description
Datatrans Reference Number	Internal reference number assigned by Datatrans for tracking purposes.
Transaction Type	Indicates the type of transaction – e.g., <i>Authorization, Capture, or Refund</i> .
Transaction Mode	Shows whether the transaction was processed in <i>Test</i> or <i>Live</i> mode.
Transaction Status	Reflects the current payment state – e.g., <i>Authorized, Settled, Credited, Cancelled, Failed and Transmitted</i>
Authorized	Displays whether the transaction has been successfully authorized.
Authorization Method	Indicates the method used for authorization (e.g., <i>Redirect, Lightbox</i>).
Authorization Amount	Shows the authorized transaction amount and currency. Only displayed if authorization was successful.
Paid	Indicates whether the transaction has been captured (funds collected).
Settled Amount	Displays the total amount that has been captured and settled for the order.
Currency	The transaction currency used during payment.
Alias Registered	Shows whether an alias (tokenized card reference) was registered for future use.
Card Brand	Indicates the card brand used for payment (e.g., Visa, Mastercard).
Masked Card	Displays the masked version of the card number (e.g., 411111xxxxxx1111) for security reference.
3DS Status	Indicates the result of 3-D Secure authentication.
Cancelled	Displays whether the transaction was cancelled before capture.
Refunded	Displays whether the transaction has been refunded.

4.3.1 Transaction History Log

Below the transaction summary, Magento displays a **Transaction History Log** that records all payment-related events for the order. Please see Figure 11. This log provides a timestamped sequence of actions performed through Datatrans – including initialization, authorization, capture (settlement), refund, and cancellation events.

Each entry includes:

- **Timestamp:** The exact date and time when the event occurred.
- **Event Type:** Indicates the payment stage, such as *initialized, authorize, settle, refund, or cancel*.

- **Transaction Reference:** The Datatrans transaction ID related to the event.
- **Details/Comments:** A brief message describing the result or amount processed for the event.

3DS Status		Authenticated
Cancelled		No
Refunded		Yes
Oct 8, 2025	6:50:29 AM	initialized
Oct 8, 2025	6:51:05 AM	authorize 251008135029230148 The amount of 59.00 is authorized
Oct 8, 2025	7:34:32 AM	settle 251008135029230148 The amount of 59.00 is captured
Oct 8, 2025	7:34:49 AM	Credit 251008135029230148 The amount of 59.00 is refunded
The order was placed using CHF.		

Figure 11


5.0 DATATRANS SAVED CARDS

Datatrans allows customers to **securely save their payment cards** for future purchases using Datatrans' **Tokenization** feature. When enabled, customers can register their cards directly from the Magento storefront. The **Saved Card** feature can be enabled in the store frontend by setting **Enable Card Saving (Alias Registration)** to **Yes** under the general settings in the Magento backend.

Saved cards are stored as **tokenized aliases** on Datatrans' secure servers — ensuring that no sensitive card data is ever stored on the Magento system. This functionality improves the checkout experience by reducing repeated data entry while maintaining PCI compliance.

5.1 Saved Cards Registration

Customers can register their cards under the “**Datatrans Saved Payment Info**” section of their **My Account** page. Please see Figure 12.



Card Number	Payment Method	Valid until	Action
675900xxxxx0026	Maestro	2030-09-12 06:58:06	Delete

Figure 12

The registration interface includes:

- A **dropdown** listing available tokenizable payment methods (e.g., Visa, Mastercard, American Express).
- An “**Add Card**” button, which becomes active once a valid payment method is selected.

When the user initiates the registration:

1. The **Datatrans SDK** loads dynamically depending on the configured environment (Test or Live).
2. The selected payment method is processed securely via Datatrans.
3. Upon successful registration, an **alias (token)** is created and stored for the customer in Magento.

The alias represents the card reference (e.g., a masked card number like 411111xxxxxx1111) that can be used for future transactions.

Note:

- The alias is linked to the customer’s Magento account and can be used only by that customer.
- Tokenization methods available depend on your Datatrans contract and configuration.

5.2 Managing Saved Cards

The **Saved Cards** table displays all registered cards for the logged-in customer. Each entry shows the following details:

- **Card Number:** Masked card number (e.g., 411111xxxxxx1111).

- **Payment Method:** Type of payment method used (e.g., Visa, Mastercard, Google Pay).
- **Valid Until:** Expiry date of the alias as returned by Datatrans.
- **Action:** A *Delete* button to remove the saved card.

Customers can **delete** any stored alias at any time by clicking the **Delete** button. Please see Figure 12. This action triggers an API call to Datatrans to remove the corresponding alias from their system, ensuring it cannot be used in future payments. If no saved cards exist, the system displays a message: “You have no Saved Cards.”

5.3 Technical Context

- The saved card registration form utilizes the **Datatrans Tokenization SDK** loaded via the registerAlias JavaScript module.
- The process is fully **PCI-DSS compliant**, as card data is transmitted directly to Datatrans without passing through Magento servers.
- Saved card details in Magento are stored only as reference tokens, along with masked display information and expiry metadata.
- Supported payment methods for alias registration depend on Datatrans configuration — for example, **credit/debit cards** support alias creation.

5.4 Frontend and Checkout Behavior with Saved Cards

When the **Alias Registration** feature is enabled from the general configuration and the customer has at least one active alias registered, Datatrans allows them to conveniently use those saved cards during checkout.

5.4.1 Saved Card Selection at Checkout

During checkout, under the **Payment Method** section, customers will see their saved cards listed along with the payment method label and masked card number (for example, *Visa* 411111xxxxxx1111). Please see Figure 13.

Figure 13

Customers can select a saved card instead of re-entering their payment details. Once selected, the payment authorization will use the associated **Datatrans Alias ID**, enabling a faster and more seamless checkout experience.

5.4.2 Adding a New Card During Checkout

If a customer wants to use a new card, they can:

1. Choose the **'Save Card Details'** checkbox.
2. Enter their card details, which are processed securely through Datatrans.

When this option is selected, Datatrans automatically registers a new alias during the transaction, which will then appear in the customer's **Saved Cards** list in their account. Please see Figure 14.

☒ Datatrans Credit/Debit Cards

☒ My billing and shipping address are the same

Vishnu S
 test
 test, District of Columbia 2323
 United States
 22323



Save Card Details ☒
— CHECK 'SAVE CARD DETAILS' TO SAVE THE CARD WHEN PLACING ORDER

Place Order

Figure 14

5.4.3 Security and Data Privacy

All saved card operations, including display and usage during checkout, are fully **PCI-DSS compliant**. Sensitive payment information such as card numbers or CVV is never stored or processed by Magento. Only Datatrans handles the secure card data exchange through tokenized aliases, ensuring compliance and security at every transaction stage.

5.4.4 Multi-Alias Support

In cases where customers have multiple saved cards, the checkout automatically lists all available aliases. The customer can freely switch between them or remove unwanted cards from their account dashboard. This ensures flexibility for customers managing multiple payment methods while maintaining security and ease of use.

6.0 LOGGING AND DEBUGGING

The Datatrans Magento extension provides two dedicated logging mechanisms to help merchants and developers monitor system activity and troubleshoot issues efficiently. Both log types are accessible from the **Magento Admin Panel** under:

Pits → Error Log

Pits → Debug Log

These logs record distinct categories of events and messages generated during payment operations, API communications, and system actions.

6.1 Error Log

The **Error Log** records exceptions and critical issues encountered during Datatrans operations. Please see Figure 15




Figure 15

Typical examples include failed API requests, alias deletion errors, authorization failures, or unexpected runtime exceptions. When an exception is caught, the message is stored in the **Error Log**, providing a timestamp, the source class, and a detailed error message. These entries are essential for identifying failed operations and diagnosing backend-level issues.

6.2 Debug Log

The **Debug Log** provides detailed insights into the Datatrans communication flow. It is primarily used for **development and troubleshooting** during API integrations and payment testing. Please see Figure 16.




Figure 16

Debug logs record the full sequence of actions and data exchanged between Magento and Datatrans, including:

- API request and response parameters
- Callback and redirect handling results
- Payment state transitions (e.g., initialize, authorize, capture, refund)
- System context (order ID, transaction ID, environment)

This helps developers verify that the integration is functioning correctly and that expected parameters (like transactionId, refno, or status) are received.

6.3 Log Configuration in Magento Admin

The Datatrans Magento module includes dedicated configuration options that allow merchants to enable or disable logging and directly access logs from the admin panel. These settings are located under General Datatrans Settings.



7.0 SUPPORT

If you have questions, use our contact form at webshopextension.com or email at support@webshopextension.com